Page 1 of 8

8963A

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1314-0303

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank BCI-1431BK

Product Code: 8963A

Company Name: Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Carbon black	1333-86-4 / 215-609-9	1 - 5	None / None	$TWA = 3.5 \text{ mg/m}^3$	$TWA = 3.5 \text{ g/m}^3$	Not established	Not established
Heterocyclic compound	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

Page 2 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1314-0303
Product Code: 8963A

< Carcinogen >

Chemical Name CAS# Reference

Carbon black 1333-86-4 IARC : Group 2B. NTP; OSHA; Annex I to 67/548/EEC : Not listed.

Except carbon black, no component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

May cause moderate irritation and no sensitization. (See SECTION 11)

Chronic Effects:

No adverse effects are expected under intended use of this product.

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



MATERIAL SAFETY DATA SHEET

MSDS #: IC1314-0303
Product Code: 8963A

SECTION 5 FIRE FI	GHTING MEASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO ₂ , water, foam or dr	y chemicals					
Unsuitable Extinguishin None	g Media:					
Special Fire Fighting Pr None	ocedures:					
Unusual Fire and Explo None	sion Hazards:					
Fire and Explosive Properti	es (See also Section 9):					
Hazardous Combustion Products:						
CO, CO ₂ , NOx and SO)x					
Other Properties:						
None						
SECTION 6 ACCIDE	ENTAL RELEASE MEASURES					
Personal Precautions:						
Avoid contact with skin, e	yes and clothing.					
Avoid breathing vapor and	l mist.					
Environmental Precautions						
	urface water or ground water.					
Method for Cleaning Up:						
Wipe off with wet cloth or	paper.					
SECTION 7 HANDL	ING AND STORAGE					
Handling:						
9	Avoid breathing vapor and mist.					
Use with adequate ventilate	Use with adequate ventilation.					
Avoid contact with skin, e	yes and clothing. In case of contact, wash out the contaminated area immediately.					
Storage:						
Keep in a cool and dry place.						
Protect from sunlight.						
Specific Uses:						
	Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.					
	JRE CONTROLS / PERSONAL PROTECTION					
Exposure Guidelines: Not established for this in	k. (See also SECTION 2)					
Engineering Controls: Use adequate ventilation.						
Personal Protection Equipm	nent(s):					
Respiratory Protection:						
	M Not Required					
Eve/Face Protection	Not Required ☐ Required					
Eye/Face Protection:	Required					
·	☐ Required Not Required					
Eye/Face Protection: Skin Protection:	Required					

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1314-0303
Product Code: 8963A

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES			
Appearance:	Black liquid			
Odor:	Slight odor			
pH:	8 - 9			
Boiling Point/Range(°C):	Not available			
Melting Point/Range(°C):	Not available			
Decomposition Temperature(°C):	Not available			
Flash Point(°C):	Estimate: None			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature(°C):	Not available			
Flammability:	Neither flammable nor combustible.			
Explosive Properties:	Estimate: None			
Oxidizing Properties:	Estimate: None			
Vapor Pressure:	Not available			
Vapor Density:	Not available			
Density / Specific Gravity:	1.0 - 1.1			
Water Solubility:	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water)	: Not available			
Percent Volatile (%):	60 - 80			
Evaporation Rate:	Not available			
Viscosity (mPa s):	1 - 5			
SECTION 10 STABILITY AND R	FACTIVITY			
Stability:				
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			



MATERIAL SAFETY DATA SHEET

MSDS #: IC1314-0303
Product Code: 8963A

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

Minimal irritant (rabbit)

OECD Guidelines No.405 (1987), 92/69/EEC Method B5

Skin:

Moderate irritant (rabbit)

OECD Guidelines No.404 (1992), 92/69/EEC Method B4

Sensitization:

Non-sensitizer (guinea pig)

OECD Guidelines No.406 (1992), 96/54/EC Method B6

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, the amount of inhalation exposure to powdered carbon black is negligible under intended use of this product.

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1314-0303
Product Code: 8963A

SECTION 12 E	CCOLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effec	Not available Not available				
	DISPOSAL CONSIDERATIONS				
Method of Disposal: Disposal should b	e subject to federal, state and local laws.				
SECTION 14 T	TRANSPORT INFORMATION				
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes Chemical name (wt%): No				
Special Precautions:	None				
SECTION 15 R < EU Information >	REGULATORY INFORMATION				
Information on the Label:					
Symbol & Indication: Not required					
R-Phrase:					
Not required					
S-Phrase: Not required					
Dangerous Com Not required	ponent(s):				
Special Precauti	ons under 1999/45/EC Annex V:				
Not required					
Specific Provisions in	n Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:	Not regulated				
(EC)304/2003:	Not regulated				
Others:	None				

Page 7 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1314-0303
Product Code: 8963A

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

Hazard warning:

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<Revised information from the previous version>

Section 1, 2, 5, 9, 10, 11 and 15



MATERIAL SAFETY DATA SHEET

MSDS #: IC1314-0303
Product Code: 8963A

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.