Safety Data Sheet (SDS)

Issue date: Dec. 17, 2015 MSDS#:15QA066

Revised date: Jan. 28, 2016 rev. 2

1. Identification of the substance/mixture and of the company/undertaking

Product identifier : Receptor of ribbon tape

Receptor tape for LK-4BKK/LK-4GKK/LK-4HKK/LK-4JBK/

LK-4KBK/LK-4LBK/LK-4NKK/LK-4PBK/LK-4RKK/

LK-4WKK/LK-4ZBKA

Details of the supplier of the safety data sheet

Distributor : EPSON EUROPE B.V.

Address : Azie building, Atlas ArenA, Hoogoorddreef

5,1101 BA Amsterdam Zuidoost The Netherlands

www.epson-europe.com

Telephone No. : +31-20-314-5000 Fax. No. : +31-20-314-5100

E-mail address : chemicals@epson-europe.com

Emergency telephone number : Giftnotruf Berlin +49 (0) 30 30686790

2. Hazards Identification

GHS Classification

Physical Hazards :Not applicable
Health Hazards :Not applicable
Environmental Hazards :Not applicable

GHS Label Elements Including Precautionary Statements : Not applicable

Hazard Statement :None
Toxicological information :None
Ecological Information :None

3. Composition/Information on Ingredients

Substance/Mixture :Mixture

Composition	Product name				
	Receptor of ribbon tape				
Base fabric	Polyester fiber				
Dye	Dispersive dye				
Processing agent	sing agent Antistatic agent(Guanidine hydrochloride, Cationic polymer)				
Core	Core Acrylonitrile butadiene styrene(ABS)				

4. First Aid Measures

Eye contact :Rinse thoroughly with a large volume of water and consult

an eye specialist.

Skin contact :Not applicable Inhalation :Gargle with water.

Ingestion :Induce vomiting with water. Consult a physician if needed.

5. Fire-Fighting Measures

Extinguishing method :Sever combustion material from fire and extinguish with

extinguishing media.

Extinguishing media :A large volume of water, extinguish agent (powder, bubble),

carbon dioxide.

6. Accidental Release Measures

Not applicable.

7. Handling and Storage Precautions

Handling :Use in normal temperature, humidity and without due

condensation. Antistatic performance is temporary and

gone by washing.

Storage :Keep out of direct sunlight, high temperature high humidity,

dew condensation, in normal temperature and humidity

indoor place.

8. Exposure Controls/ Personal Protection

Occupational exposure limits : Not applicable. Facility and equipment measures : Not required.

Protective equipment

Respiratory equipment: Not required.
Safety goggles: Not required.
Protective gloves: Not required.
Protective suit: Not required.

9. Physical and Chemical Properties

Physical appearance, color, etc. :Fluorescent color, off-white or other colored fabric

tape wrapped around center core.

Boiling point :Not applicable.

Melting point :Approximate 260 degree C

Specific gravity :1.38

Fusibility :Water: Insoluble

10. Stability and Reactivity

Stability :Stable in normal treatment.

Hazardous decomposition products :None

11. Toxicological information

Acute toxicity :No data Irritating nature :No data

Other toxicological information :No data

12. Ecological information

Degradability :No data
Accumulative properties :No data
Fish toxicity :No data

13. Disposal Considerations

Dispose or incinerate in appropriate facility.

14. Transport Precautions

UN number : Not applicable.

Nothing. Transport as general transported material.

Transport careful enough to prevent falling over, drop and cargo collapse.

15. Applicable regulations

Fire department regulations :Not applicable. Industrial safety and health act :Not applicable.

16. Disclaimer

The above mentioned data correspond to our present state of knowledge and experience, but no warranty is made. It could be revised by new perception.

Users should consider these data only as a supplement to other information and must make independent determination of the suitability and completeness of information from all sources to ensure proper use and disposal of the materials and safety and health of employees and customers.

<Revision history>

Rev.2 Revise of the supplier of the safety data sheet

Safety Data Sheet (SDS)

Issue date: Dec. 3, 2015 MSDS#:15QA064

Revised date: Jan. 28, 2016 rev. 2

17. Identification of the substance/mixture and of the company/undertaking

Product identifier : Black ink ribbon D

Ink ribbon for LK-1WBN/LK-1YBP/LK-1TBN/LK-2RBP/LK-2WBN/LK-3RBP/LK-3YBW/LK-3TBW/LK-3WBW/LK-4KBK/LK-4RBP/LK-4YBW/LK-4TBW/LK-4WBW/LK-4SBE/LK-4SBM/LK-4KBM/LK-4WBN/LK-4ZBKA/LK-5WB2/LK-5RBP/LK-5YBW/LK-5TBW/LK-5WBW/LK-5SBE/LK-5ZBU/LK-5SBR/LK-5YB2/LK-5RB2/LK-5LB2/

LK-5SBE/LK-5ZBU/LK-5SBR/LK-5YBZ/LK-5RBZ/LK-5LBZ

LK-5GB2/LK-6WB2/LK-6RBP/LK-6YBP/LK-6WBN/

LK-6TBN/LK-6SBE/LK-6YB2/LK-6RB2/LK-6LB2/LK-6GB2/LK-7WB2/LK-7RBP/LK-7YBP/LK-7WBN/LK-7TBN/LK-7YB2/

LK-6WBC/LK-7WBC

Details of the supplier of the safety data sheet

Distributor : EPSON EUROPE B.V.

Address : Azie building, Atlas ArenA, Hoogoorddreef

5,1101 BA Amsterdam Zuidoost The Netherlands

www.epson-europe.com

Telephone No. : +31-20-314-5000 Fax. No. : +31-20-314-5100

E-mail address : chemicals@epson-europe.com

Emergency telephone number : Giftnotruf Berlin +49 (0) 30 30686790

18. Hazards Identification

GHS Classification

This product is not classed as hazardous to health by directive 1999/45/EC

GHS Label Elements Including Precautionary Statements
Not applicable

Other Hazards

No data is available regarding the product itself.

19. Composition/Information on Ingredients

Substance/Mixture :Mixture
General product description : Ink ribbon

Composition	CAS No.	EEC No.	EU registration	% By	EU	EU	EU	Remark
			No.	Weight	Symbols	R-phrase	OELs	
Carbon black	1333-86-4	215-609-9	Not available for	Trade	None	None	None	None
			the moment secret					
Ethylene	Trade secret	Trade	Not available for	Trade	None	None	None	None
copolymerized		secret	the moment	secret				
resin								
Polyolefin	Trade secret	Trade	Not available for	Trade	None	None	None	None
resin		secret	the moment	secret				
Polyester	Trade secret	Trade	Not available for	Trade	None	None	None	None
Resin		secret	the moment	secret				
Silicon	Trade secret	Trade	Not available for	Trade	None	None	None	None
copolymerized		secret	the moment	secret				
resin								
Polyethylene	25038-59-9	None	Not available for	Trade	None	None	None	None
terephthalate			the moment	secret				
(PET) film								

U.N. classification and number : Not applicable

20. First Aid Measures

Eye contact :Rinse thoroughly with running water immediately.

Then consult an eye specialist.

Skin contact :Wash off with water and soap.

Inhalation :Blow nose and gargle.

Ingestion :Rinse mouth thoroughly with water.

Then consult a physician.

21. Fire-Fighting Measures

Extinguishing method :Use a large volume of water, extinguishing agent.

Extinguishing media :A large volume of water, extinguish agent (powder, bubble),

carbon dioxide.

22. Accidental Release Measures

Collect and recover.

23. Handling and Storage Precautions

Handling :Use in normal temperature, normal humidity and

non-condensing.

Storage :Keep away from high temperature, high humidity, fire, water

leakage, direct sunlight and condensing, store in indoor warehouse in normal temperature and normal humidity.

24. Exposure Controls/ Personal Protection

Control parameters

Exposure limit values:

Substance : Carbon black CAS № : 1333-86-4

	Limit value-	Eight hours	Limit value-Short term		
Country	ppm	mg/m3	ppm	mg/m3	
United Kingdom		3.5		7	
France		3.5			
Germany					
USA-OSHA		3.5		7	

Exposure controls

Appropriate engineering controls: Not applicable

Individual protection measures, such as personal protective equipment:

Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection : Not applicable in normal conditions of use.

Skin protection

Hand protection : Wear protective gloves when required.

Other skin protection : Wear suitable protective clothing when required.

Respiratory protection : Not applicable in normal conditions of use.

For further information, see section 11 of S.D.S. - Toxicological

information.

Environmental exposure controls: Not applicable in normal conditions of use.

25. Physical and Chemical Properties

Physical appearance, color, etc. :PET film coated black ink in one side wrapped

around center core.

Specific gravity :0.95

Boiling point : <200 degree C

Melting point :250 to 265 degree C (Melting partly at about 135 degree C)

Fusibility :Water: Insoluble

26. Stability and Reactivity

Flash point :>200 degree C

Ignition quality :No (at normal temperature)

Oxidation nature :No

Self-reactive, Explosiveness :No

Dust explosiveness :No

Stability, Reactivity: Stable at normal temperature

27. Toxicological information

Skin Corrosion :No Irritation(Eyes, Skin) :No

Acute toxicity(Including LD50) :No data.

Carcinogenicity :Carbon black IARC group 2B

(Influence on a human body is not confirmed.)

28. Ecological information

Degradability: No data
Accumulative properties: No data
Fish toxicity: No data

29. Disposal Considerations

Product should be disposed in accordance with the regulations issued by the appropriate federal, provincial, state and local authorities.

30. Transport Precautions

Transport careful enough to prevent falling over, drop and cargo collapse. Avoid high temperature, high humidity and condensing in transportation. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable

31. Applicable regulations

Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Authorisations and/or restrictions on use : Not applicable

Other EU regulations : No data is available

Chemical Safety Assessment :

No Chemical Safety Assessment has been carried out for this mixture.

32. Disclaimer

The above mentioned data correspond to our present state of knowledge and experience, but no warranty is made. It could be revised by new perception.

Users should consider these data only as a supplement to other information and must make independent determination of the suitability and completeness of information from all sources to ensure proper use and disposal of the materials and safety and health of employees and customers.

<Revision history>

Rev.2 Revise of the supplier of the safety data sheet

Page: 7of7