

## SAFETY DATA SHEET

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	B3P06Series
Registration number	-
Synonyms	None.
Issue date	10-May-2019
Version number	02
Revision date	25-Jun-2019
Supersedes date	10-May-2019
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, Glycerol, Substituted phthalocyanine salt #1, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	None
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one, 2-Methyl-2H-isothiazol-3-one, and 7a-ethyldihydro-1H,3H,5H-oxazolo[3,4-c]oxazole. May produce an allergic reaction.

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Ģ

eneral information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-8	0 7732-18-5 231-791-2	-	-	
Classification: -					
Glycerol	<20	) 56-81-5 200-289-5	-	-	
Classification: -					
2-pyrrolidone	<7.	5 616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Ey	e Irrit. 2;H319				
Substituted phthalocyanine s	alt #1 <0.1	1 Proprietary 291-001-7	-	-	
Classification: Ey	e Irrit. 2;H319, S	TOT SE 3;H335			
omposition comments	This ink suppl	y contains an aqueous	ink formulation.		
1. Description of first aid mea Inhalation Skin contact	Move to fresh	air. If symptoms persist areas thoroughly with	t, get medical attention. mild soap and water. If irritation	persists get med	lical
Inhalation	Move to fresh Wash affected		-	persists get med	lical
Eye contact	attention. Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a least 15 minutes or until particles are removed. If irritation persists get medical attention.				
Ingestion			ccur, seek medical attention.		
2. Most important symptoms nd effects, both acute and elayed	Not available.				
3. Indication of any mediate medical attention nd special treatment needed	Not available.				
SECTION 5: Firefighting	measures				
eneral fire hazards	Not available.				
1. Extinguishing media Suitable extinguishing	CO2, water, d	ry chemical, or foam			
media Unsuitable extinguishing media	None known.				
2. Special hazards arising	Not available.				

from the substance or mixture 5.3. Advice for firefighters Not available. **Special protective** equipment for firefighters **Special fire fighting** Not available. procedures Specific methods Wear self contained breathing apparatus for fire fighting if necessary.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, prote For non-emergency personnel		<b>tive equipment and emergency procedures</b> Wear appropriate personal protective equipment.			
For emergency responders	Not available.				
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.				
6.3. Methods and material for containment and cleaning up	Not available.				
6.4. Reference to other sections	Not available.				
SECTION 7: Handling and	storage				
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.				
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.				
7.3. Specific end use(s)	Not available				
SECTION 8: Exposure co	ntrols/perso	onal protection			
8.1. Control parameters					
Occupational exposure limits UK. EH40 Workplace Expos Components	ure Limits (WI	ELs) Type		Value	Form
Glycerol (CAS 56-81-5)		TWA		10 mg/m3	Mist.
Biological limit values	No biological	exposure limits not	ed for the ingredie	nt(s).	
Recommended monitoring procedures	Not available				
Derived no effect levels (DNELs)	)				
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Workers	Dermal Inhalation Oral Oral Dermal Dermal Inhalation	167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3	Systemic acute short term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term
Predicted no effect concentratio	ns (PNECs)	Workers	Inhalation Oral Oral Dermal Dermal	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d	Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term
Predicted no effect concentratio	ns (PNECs)	Workers Type	Inhalation Oral Oral Dermal Dermal	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d	Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term
			Inhalation Oral Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg	Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term
Components		Туре	Inhalation Oral Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5)		<b>Type</b> Not applicable	Inhalation Oral Oral Dermal Dermal Inhalation <b>Route</b> Freshwater Intermittent Marine water Sediment Soil STP	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines		Туре	Inhalation Oral Oral Dermal Dermal Inhalation <b>Route</b> Freshwater Intermittent Marine water Sediment Soil STP	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines 8.2. Exposure controls	Exposure lim	<b>Type</b> Not applicable its have not been ea	Inhalation Oral Oral Dermal Dermal Inhalation <b>Route</b> Freshwater Intermittent Marine water Sediment Soil STP	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines	Exposure lim	<b>Type</b> Not applicable	Inhalation Oral Oral Dermal Dermal Inhalation <b>Route</b> Freshwater Intermittent Marine water Sediment Soil STP	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines 8.2. Exposure controls Appropriate engineering	Exposure lim Use in a well such as perso	Type Not applicable its have not been en ventilated area.	Inhalation Oral Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater Sewage Treatment Plant
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures,	Exposure lim Use in a well such as perso	Type Not applicable its have not been ea ventilated area.	Inhalation Oral Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater Sewage Treatment Plant
Components 2-pyrrolidone (CAS 616-45-5) Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, General information	Exposure lim Use in a well such as perso Use persona	Type Not applicable its have not been ea ventilated area.	Inhalation Oral Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater Sewage Treatment Plant
Components   2-pyrrolidone (CAS 616-45-5)   Exposure guidelines   8.2. Exposure controls   Appropriate engineering controls   Individual protection measures, General information Eye/face protection	Exposure lim Use in a well such as perso Use persona	Type Not applicable its have not been ea ventilated area. onal protective equipme	Inhalation Oral Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater Sewage Treatment Plant
Components   2-pyrrolidone (CAS 616-45-5)   Exposure guidelines   8.2. Exposure controls   Appropriate engineering controls   Individual protection measures, General information   Eye/face protection   Skin protection	Exposure lim Use in a well <b>such as perso</b> Use persona Not available Not available Not available	Type Not applicable its have not been ea ventilated area. onal protective equipme	Inhalation Oral Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater Sewage Treatment Plant
Components   2-pyrrolidone (CAS 616-45-5)   Exposure guidelines   8.2. Exposure controls   Appropriate engineering controls   Individual protection measures, General information   Eye/face protection   Skin protection   Skin protection   - Hand protection	Exposure lim Use in a well <b>such as perso</b> Use persona Not available Not available	Type Not applicable its have not been ea ventilated area. onal protective equipme	Inhalation Oral Oral Dermal Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 <b>Value</b> 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l product.	Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term <b>Form</b> Releases Freshwater Sewage Treatment Plant

Material name: B3P06Series

12596 Version #: 02 Revision date: 25-Jun-2019 Issue date: 10-May-2019

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

••••• ••• ••• ••• ••• ••• ••• ••• •••	
Appearance	
Physical state	Liquid.
Form	Not available.
Color	Cyan
Odor	Not available.
Odor threshold	Not available.
рН	8.8 - 9.1
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	3.2 - 3.3 cP
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
VOC	< 257 g/L
SECTION 10: Stability and	I reactivity
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.

10.4. Conditions to avoidNot available.10.5. Incompatible materialsIncompatible with strong bases and oxidizing agents.10.6. HazardousUpon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon<br/>dioxide and/or low molecular weight hydrocarbons.

#### **SECTION 11: Toxicological information**

General information	Not available.
Information on likely routes of ex	kposure
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Health injuries are not known or expected under normal use.
Symptoms	Not available.
11.1. Information on toxicologica	al effects

Acute toxicity	Based on available data, the classification criteria are not met.		
Components	Species Test Results		
2-pyrrolidone (CAS 616-45-5)			
Acute			
Oral			
LD50	Rat		> 5000 mg/kg
Glycerol (CAS 56-81-5)			
Acute			
Dermal	<b>.</b>		
LD50	Guinea pig		45 ml/kg, Days
Inhalation			
<i>Vapor</i> LC50	Rat		4655 mg min/L 7 Hours
	Nat		4655 mg.min/I, 7 Hours
Oral LD50	Rat		18300 mg/kg
Skin corrosion/irritation		ilable data, the classification criteria	
Serious eye damage/eye irritation	Based on ava	ilable data, the classification criteria	are not met.
Respiratory sensitization	Based on ava	ilable data, the classification criteria	are not met.
Skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on ava	ilable data, the classification criteria	are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Mixture versus substance information	Not available.		
Other information	Complete toxicity data are not available for this specific formulation		
SECTION 12: Ecological i	nformation		
12.1. Toxicity	This product i	s highly soluble in water.	
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient			

12.1. Toxicity	This product is highly soluble in water.		
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not availabl	e.	
12.3. Bioaccumulative potential	Not availabl	e.	
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Glycerol		-0.85 -1.76	
Bioconcentration factor (BCF)	Not availabl	e.	
12.4. Mobility in soil	Not availabl	e.	
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.		
12.6. Other adverse effects	Not availabl	e.	
SECTION 13: Disposal co	onsideratio	าร	
13.1. Waste treatment methods			
Residual waste	Not availabl	e.	
Contaminated packaging	Not availabl	e.	

Not available.

**Disposal methods/information** 

Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

#### **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

## IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

# Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

#### Not listed.

#### Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

#### Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

#### Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H319 Causes serious eye irritation. H335 May cause respiratory irritation.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### Explanation of abbreviations

ACGIH	American Conference of Covernmental Industrial Ungionista
	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

### Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf