

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
	P2V84Series		
glossary_trade_name	P2v04Senes		
Identification number	-		
Registration number	-		
Synonyms	None.		
Issue date	16-Mar-2018		
Version number	04		
Revision date	10-Oct-2018		
Supersedes date	29-Jun-2018		
1.2. Relevant identified uses of	the substance or mixture and uses advised against		
Identified uses	Inkjet printing		
Uses advised against	None known.		
1.3. Details of the supplier of the safety data sheet			
	HP Inc. UK Limited		
	Cain Road, Amen Corner		
	Bracknell, Berkshire RG12 1HN		
	United Kingdom		
Telephone	44 (0) 879 013 0790		
HP Inc. health effects line			
(Toll-free within the US)	1-800-457-4209		
(Direct)	1-760-710-0048		
HP Inc. Customer Care			
Line			
(Toll-free within the US)	1-800-474-6836		
(Direct)	1-208-323-2551		
Email:	hpcustomer.inquiries@hp.com		
1.4 Emergency telephone	0207771 5307		
number			

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

<b>U U U</b>	
Contains:	1,2-Benzisothiazolin-3-one, 2-pyrrolidone, Alkyldiol, Diethylene glycol, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The substance does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

# **SECTION 3: Composition/information on ingredients**

3.1. Substances

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water	70-80	7732-18-5	<u> </u>	_	
		231-791-2			
Classification:	-				
Diethylene glycol	<7.5	111-46-6	01-2119457857-21-XXXX	603-140-00-6	
		203-872-2			
Classification:	Acute Tox. 4;H302				
2-pyrrolidone	<5	616-45-5	01-2119475471-37-XXXX	-	
		210-483-1			
Classification:	Eye Irrit. 2;H319				
Alkyldiol	<5	Proprietary	01-2119987321-35-XXXX	-	
Classification:	Eye Irrit. 2;H319	-			
1,2-Benzisothiazolin-3-on	ie <0.1	2634-33-5 220-120-9	-	613-088-00-6	
Classification:	Acute Tox. 4;H302, SI Acute 1;H400	kin Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	318, Aquatic	
nposition comments	This ink supply c	ontains an aqueous ir	nk formulation.		
CTION 4: First aid r	neasures				
neral information	Not available.				
	NUL available.				

4.1. Description of first aid meas	sures	
Inhalation	Move to fresh air. If symptoms persist, get medical attention.	
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.	
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.	
Ingestion	If material is ingested, immediately contact a physician or poison control center.	
4.2. Most important symptoms and effects, both acute and delayed	Not available.	
4.3. Indication of any immediate medical attention and special treatment needed	Not available.	

### **SECTION 5: Firefighting measures**

General fire hazards	Not available.	
5.1. Extinguishing media		
Suitable extinguishing media	CO2, water, dry chemical, or foam	
Unsuitable extinguishing media	None known.	
5.2. Special hazards arising from the substance or mixture	Not available.	
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.	

## **SECTION 6:** Accidental release measures

6.1. Personal precautions, protection	ctive equipment and emergency procedures	
For non-emergency personnel	Wear appropriate personal protective equipment.	
For emergency responders	Not available.	
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.	
6.3. Methods and material for containment and cleaning up	Not available.	
6.4. Reference to other sections	Not available.	
OFOTION 7. Handling and	-4	

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

Components	Туре	Value	
Diethylene glycol (CAS 111-46-6)	TWA	101 mg/m3	
,		23 ppm	
ological limit values	No biological exposure limits noted	for the ingredient(s).	

# Recommended monitoring procedures

Not available.

### Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short tern
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Alkyldiol	Worker	Inhalation	123 mg/m3	Systemic long term
Diethylene glycol (CAS 111-46-6)	Consumers	Dermal	53 mg/kg	Systemic long term
		Inhalation	12 mg/m3	Local long term
	Workers	Dermal	106 mg/kg	Systemic long term
		Inhalation	60 mg/m3	Local long term
dicted no effect concentrations (PNEC	Cs)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Freshwater	0.5 mg/l	
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater Intermittent	•	Releases
2-pyrrolidone (CAS 616-45-5)			0.5 mg/l 0.5 mg/l 0.05 mg/l	Releases
2-pyrrolidone (CAS 616-45-5)		Intermittent	0.5 mg/l	Releases Freshwater
2-pyrrolidone (CAS 616-45-5)		Intermittent Marine water	0.5 mg/l 0.05 mg/l	
2-pyrrolidone (CAS 616-45-5)		Intermittent Marine water Sediment	0.5 mg/l 0.05 mg/l 0.4205 mg/kg	Freshwater
2-pyrrolidone (CAS 616-45-5) Diethylene glycol (CAS 111-46-6)		Intermittent Marine water Sediment Soil	0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg	Freshwater
	Not applicable	Intermittent Marine water Sediment Soil STP	0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	

Components	Туре	Route	Value	Form
		Sediment Soil STP	20.9 mg/kg 1.53 mg/kg 199.5 mg/l	Freshwater Sewage Treatment Plant
Exposure guidelines	Exposure limits have not been esta	blished for this	product.	-
8.2. Exposure controls				
Appropriate engineering controls	Use in a well ventilated area.			
Individual protection measures,	such as personal protective equip	ment		
General information	Use personal protective equipment	to minimize ex	posure to skin and e	ye.
Eye/face protection	Not available.			
Skin protection				
- Hand protection	Not available.			
- Other	Not available.			
Respiratory protection	Not available.			
Thermal hazards	Not available.			
Hygiene measures	Handle in accordance with good in	dustrial hygiene	e and safety practice.	
Environmental exposure controls	Not available.			

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

······································	
Appearance	
Physical state	Not available.
Form	Not available.
Color	Green
Odor	Not available.
Odor threshold	Not available.
рН	9.2
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 230.0 °F (> 110.0 °C) Setaflash Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not determined
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	169.3 g/l

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

Not available.

de and/or low molecular weigh nated hydrocarbons ormation wailable. re	d oxidizing agents. may yield gaseous nitrogen oxides, carbon monoxide, carbon at hydrocarbons. aldehydes, ketones, hydrogen fluoride, ed use, this material is not expected to be an inhalation hazard. d irritation. d irritation. posure.
available. npatible with strong bases and a decomposition, this product n de and/or low molecular weigh nated hydrocarbons <b>formation</b> available. re er normal conditions of intende- act with skin may result in mild act with eyes may r	nay yield gaseous nitrogen oxides, carbon monoxide, carbon It hydrocarbons. aldehydes, ketones, hydrogen fluoride, ed use, this material is not expected to be an inhalation hazard. I irritation. d irritation. posure. fication criteria are not met.
npatible with strong bases and decomposition, this product in de and/or low molecular weigh nated hydrocarbons <b>Drmation</b> available. The er normal conditions of intender act with skin may result in mild act with eyes may result in	nay yield gaseous nitrogen oxides, carbon monoxide, carbon It hydrocarbons. aldehydes, ketones, hydrogen fluoride, ed use, this material is not expected to be an inhalation hazard. I irritation. d irritation. posure. fication criteria are not met.
a decomposition, this product n de and/or low molecular weigh nated hydrocarbons ormation available. re er normal conditions of intender act with skin may result in mild act with eyes may result in	nay yield gaseous nitrogen oxides, carbon monoxide, carbon It hydrocarbons. aldehydes, ketones, hydrogen fluoride, ed use, this material is not expected to be an inhalation hazard. I irritation. d irritation. posure. fication criteria are not met.
de and/or low molecular weigh nated hydrocarbons ormation available. re er normal conditions of intender act with skin may result in mild act with eyes may result in	at hydrocarbons. aldehydes, ketones, hydrogen fluoride, ad use, this material is not expected to be an inhalation hazard. d irritation. d irritation. posure.
ivailable. re er normal conditions of intende- act with skin may result in mild act with eyes may result in mild stion is not a likely route of exp ivailable. ets d on available data, the classif	d irritation. d irritation. bosure. fication criteria are not met.
re er normal conditions of intende act with skin may result in mild act with eyes may result in mild stion is not a likely route of exp available. cts d on available data, the classif	d irritation. d irritation. bosure. fication criteria are not met.
er normal conditions of intende- act with skin may result in mild act with eyes may result in mild stion is not a likely route of exp available. c <b>ts</b> d on available data, the classif	d irritation. d irritation. bosure. fication criteria are not met.
act with skin may result in mild act with eyes may result in mild stion is not a likely route of exp available. c <b>ts</b> d on available data, the classif	d irritation. d irritation. bosure. fication criteria are not met.
act with eyes may result in mile stion is not a likely route of exp available. c <b>ts</b> d on available data, the classif	d irritation. posure. fication criteria are not met.
stion is not a likely route of exp available. c <b>ts</b> d on available data, the classif	posure. fication criteria are not met.
ivailable. Ets d on available data, the classif	fication criteria are not met.
c <b>ts</b> d on available data, the classif	
d on available data, the classif	
ecies	Test Results
t	> 5000 mg/kg
1.1.1	
JIDD	11890 mg/kg
ł	> 4.6 mg/l, 4 Hours
L C C C C C C C C C C C C C C C C C C C	2 4.0 mg/l, 4 hours
t	12565 mg/kg
	ased on available data, the classification criteria are not met.
d on available data, the classif	fication criteria are not met.
d on available data, the classif	fication criteria are not met.
Based on available data, the classification criteria are not met.	
d on available data, the classif	fication criteria are not met.
Based on available data, the classification criteria are not met.	
Based on available data, the classification criteria are not met.	
Based on available data, the classification criteria are not met.	
d on available data, the classif	fication criteria are not met.
vailable.	
plete toxicity data are not avail	lable for this specific formulation
	bbit t t t rritant in rabbit (OECD 404) B d on available data, the classi d on available data, the classi vailable.

### **SECTION 12: Ecological information**

12.1. Toxicity

Product		Species	Test Results
P2V84Series			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.	0.00	
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.		
12.6. Other adverse effects	Not available.		

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

### DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

### ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulations

**Further information** 

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
 Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
	2 concerning the export and import of dangerous chemicals, Annex V as amended
	6 Annex II Pollutant Release and Transfer Registry
Not listed.	DE ACIL Article 50/4) Condidete Liet de currently nubliched by FCLA
Not listed.	06, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 143/201 Not listed.	1 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907/20 Not listed.	06, REACH Annex XVII Substances subject to restriction on marketing and use as amended
	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not regulated.	
Other EU regulations	
Directive 2012/18/EU on maj Not listed.	jor accident hazards involving dangerous substances, as amended
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification
	under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.
Povicion information	H400 Very toxic to aquatic life.
Revision information	<ol> <li>Product and Company Identification: Product and Company Identification SECTION 11: Toxicological information: Corrosivity SECTION 11: Toxicological information: Skin contact</li> </ol>
Training information	Follow training instructions when handling this material.

Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

### Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.		
Operational conditions			
Maximum duration	Up to 8 hours per day		
Frequency of exposure	< 240 days per year		
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions		
	followed.		
Risk management measures			
Conditions and measures	Wear eafaty glasses with side chields (or goggles) if splaching is passible		
related to Personal Protection	Wear safety glasses with side shields (or goggles), if splashing is possible.		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.		
Equipment, hygiene and	Wear appropriate chemical resistent clothing.		
health evaluation	In case of inadequate ventilation wear respiratory protection.		
	Eye wash fountain and emergency showers are recommended.		
	Avoid breathing mist/vapours.		
	Avoid contact with skin, eyes and clothing.		
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.		
Good practice advice			
Use personal protective equipme	ent as required.		
Wash hands before breaks and a	after work.		
Keep good industrial hygiene and	d safety practice.		
Use only with adequate ventilati			
Do no eat, drink or smoke when			
Wash contaminated clothing be			
Store at room temperature.			
Environmental measures			
	in intercourse/unitercourselies		
Do not allow this material to dra			
-	ding to Local, State, Federal and Provincial Environmental Regulations.		
	ith appropriately licenced waste contractor.		
Use descriptors			
IS-Use at industrial sites			
PW-Widespread use by profession			
SU7-Printing and reproduction n	nedia		
PC18-Inks and Toners			
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.		
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions		
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities		
ERC5-Use at industrial site leading			
	is conclusion into/onto article (indoor)		
Additional information on prod			
	s on the label, the classification of the mixture is provided.		
Most of the water based inks are			
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.			
	ne classification are stated in Section 3 of the SDS.		
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.		
	zing ingredients that may cause allergic reaction to certain people.		
Section 2 of the SDS states these			
1	WB01 English.pdi		