Product Name : RICOH COLOR LP TONER CASSETTE TYPE 105 CYAN (Cyan toner) MSDS Number : 888037 Date Prepared : 07/09/2005 Date Modified : 10/07/2017 Date : 25/08/2017



Safety Data Sheet (ISO form)

1. Product and Company Identification

Product Name	:RICOH COLOR LP TONER CASSETTE TYPE 105 CYAN (Cyan toner)
General Use	:The Image Formation of Printing Machine or Copier
MSDS Number	:888037
Company Name	:Ricoh Company,Ltd.
Department	:Safety Engineering Department, Quality Management Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp
1	

2.Compo r egulation (EC) No 1272/2008 sition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyol Resin	Confidential	Confidential	>85
Organic Pigment	C32H16CuN8	147-14-8	<10
Organic Salt	Confidential	Confidential	<5
Titan Oxide	TiO2	13463-67-7	0.1-1

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information Chemical Name : Titan Oxide CAS Number OSHA Z-Tables (USA) NTP (USA) Symbol (EU) DFG-MAK (GER) California Proposition 65 (USA)

: 13463-67-7 : 15mg/m3 : Not listed : Not listed : Not listed : Listed

EEC Number	: 236-675-5
ACGIH-TLV	: 10mg/m3
IARC Monographs	: Group 2B
R-Phrase (EU)	: Not listed
OELs-TWA (Australia)	: 10mg/m3

3. Hazards Identification

The Most Important Hazards Adverse Human Health Effects There are no significant hazards expected with intended use. Environmental Effects There are no significant hazards expected with intended use. Physical and Chemical Hazards There are no significant hazards expected with intended use. Specific Hazards Dust explosion (like most finely grained organic powders)

Main Symptoms Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivities or dermatities.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Titanium dioxide contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use. Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

The Classification of The Chemical Product

This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.

4.First-Aid Measures

Inhalation

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Notes to a physician

Not applicable

5.Fire-Fighting Measures

Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable.

Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Do not breathe in dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up

Fine powder may form explosive dust-air mixture.Confirm there is no source of fire and if there is a source, remove it.Sweep up spilled powder slowly and clean reminder with wet cloth.If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

7.Handling and Storage

Handling
Technical Measures/Precautions
Not applicable
Safe Handling Advice
Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.
Avoid breathing in dust.
Storage
Technical Measures
Not applicable
Storage Conditions
Keep out of reach of children.
Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees
centigrade for a long time. Avoid direct sunlight.
Packaging Material
Not applicable
Specific Use(s)
Image formation in printing machines or copiers.

8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control ParametersUSA OSHA PEL (TWA): 15mg/m3 (Total dust)5.0mg/m3 (Respirable fraction)ACGIH TLV (TWA): 10mg/m3 (Inhalable fraction)3.0mg/m3 (Respirable fraction)DFG MAK: 4.0mg/m3 (Total dust)1.5mg/m3 (Respirable fraction)Personal ProtectionRespiratory ProtectionsNone required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.

Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

9. Physical and Chemical Properties

Appearance		
Physical State	: Solid	
Form	: Powder	
Colour	: Cyan	
Odour	: Slightly plastic odour	
Boiling Point (d	atures/Temperature Ranges at White egrees centigrade) : Not application	ch Changes in Physical State Occur able point) Approx.110
Flash Point (deg	Temperature (degrees centigrade) rees centigrade) erties (degrees centigrade)	 Not available Not applicable This product is considered a nonexplosive material under normal use.

Vapor Pressure (Pa): Not applicableVapor Density(AIR=1): Not applicableDensity (g/cm3): Approx.1.2Measuring Temp (degrees centigrade) : 25

Solubility Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble Octanol/Water Partition Coefficient Not available Other Information

Flammability	: Not flammable
Viscosity (Pa • s)	: Not applicable
Volatile (%)	: 0.2 or below

10. Stability and Reactivity

Stability Stable Hazardous Reaction Dust explosion, like most finely grained organic powders.

Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

11. Toxicological Information

A outo Tovioity
Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over [mg/kg] (Rat)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
Non-irritant (Rabbit)
Acute Eye Irritation :
Not available (Ingredients are not classified as dangerous according to Regulation (EC) No 1272/2008.)
Sensitization
Acute Allergenic Effects :
0 % (Marmot)
Specific Effects
Carcinogenicity :
In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human
evidence, but sufficient animal evidence.
The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to
Titanium dioxide at levels that induce particle overload of the lung.
Use of this product, as intended, dose not result in inhalation of excessive dust.
Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium
dioxide and diseases of the respiratory tract beyond general effects of dust.
district and discusses of the respiratory fact beyond general criects of dust.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12. Ecological Information

Mobility	: No data are av	ailable on any adverse effects on the environment.
Persistence/Degradability	: Not available	
Bioaccumulation	: Not available	
Ecotoxicity		
Acute Toxicity for F	ish (LC50)	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/96hr
Acute Toxicity for E	Daphnia (EC50)	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/48hr

Algae Inhibition Test (IC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/72hr

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements. Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions:

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations Land Transport RID/ADR : Not applicable DOT 49 CFR : Not applicable ADNR : Not applicable Sea Transport IMDG Code : Not applicable Air Transport ICAO-TI/IATA-DGR : Not applicable The UN Classification Number : Not applicable Class : Not applicable Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality.

15.Regulatory Information

Regulations EU Information Information on the label (Regulation (EC) No 1272/2008) Symbols & : Not required Indications **R-Phrase** : Not required : Not required S-Phrase Special Precautions under r egulation (EC) No 1272/2008 Annex II : Not required Regulation (EC) No 1907/2006 annex XVII This product complies with applicable rules and regulations under Regulation (EC) No 1907/2006 annex XVII. 304/2003/EC Not regulated **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Not regulated California Proposition 65: Not regulated Canada Information WHMIS Controlled product : Not a controlled product

16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

HMIS Rating : The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

25/8/201	7
23/0/201	1

Ricoh Company, Ltd. 888037 RICOH COLOR LP TONER CASSETTE TYPE 105 CYAN (Cyan toner)

OSHA Z-Table		
NTP (USA)	: US Department of Health and Human Services National Toxicology Program Annual	
	Report on Carcinogens	
DFG-MAK	DFG List of MAK and BAT Value	
Symbol (EC)	: Regulation (EC)No.1272/2008	
91/155/ EEC	: EU Directive 91/155/ EEC	
1272/2008	: Regulation (EC) No 1272/2008	
CLP (EC)No.127	 2/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directive Regulation (EC) No 1272/2008, and amending Regulation (EC)No. 1907/2006 	
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the Council of 28 January 2003 concerning the export and import of dangerous chemicals	
WHMIS Control	ed product : Canada Workplace Hazardous Information System	
OELs-TWA (Aus		
	Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]	
Abbreviations	:	
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act	
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial	
	Hygienists	
REACH	(EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals	
SVHC	Substances of Very High Concern	
ECHA	The European Chemicals Agency	
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft	
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment	
TWA	Time Weighted Average	
IARC	nternational Agency for Research on Cancer	
NTP	National Toxicology Program	
WHMIS	Workplace Hazardous Information System	
NOHSC	National Occupational Health and Safety Commission Act 1985	
	1 5	

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.