Product Name : PrintCartridge GC41KL MSDS Number : 405765 Date Prepared : 09/03/2012 Date Modified : 07/07/2017 Date : 03/10/2017



# Safety Data Sheet (ISO form)

## 1. Product and Company Identification

Product Name :PrintCartridge GC41KL

General Use :The Image Formation of Printing Machine

MSDS Number :405765

Company Name :Ricoh Company,Ltd.

Department :Safety Engineering Department, Quality Management Division Address :146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan

Telephone Number :055-920-1470, Japan :055-920-1479, Japan :055-920-1479, Japan :msdsinfo@nts.ricoh.co.jp

## 2.Compo r egulation (EC) No 1272/2008 sition/Information on Ingredients

#### Substance or Preparation

Preparation

#### Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Carbon Black	C	1333-86-4	<10
Glycerin	C3H8O3	56-81-5	10-20
Glycol 1	Confidential	Confidential	<10
Glycol 2	Confidential	Confidential	<10
Water	H2O	7732-18-5	40-60

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name: Carbon Black

**CAS Number** : 1333-86-4 **EEC Number** : 215-609-9 OSHA Z-Tables (USA) : 3.5 mg/m3**ACGIH-TLV** : 3.5 mg/m3NTP (USA) : Not listed IARC Monographs : Group 2B Symbol (EU) R-Phrase (EU) : Not listed : Not listed **DFG-MAK** : III 3B OELs-TWA (Australia) : 3.0mg/m3

California Proposition 65 (USA) : Listed

### 3. Hazards Identification

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use.

**Environmental Effects** 

There are no significant hazards expected with intended use.

Physical and Chemical Hazards

There are no significant hazards expected with intended use.

Specific Hazards

There are no significant hazards expected with intended use.

Main Symptoms

**Acute Inhalation Toxicity** 

Under normal use conditions, there is no possibility to inhale the particle of ink.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May be non-irritant.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected.

Chronic Effect

Under normal use conditions, there is no possibility to inhale the particle of ink.

Carcinogenicity

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

This is due to the fact that rat alone showed lung tumor in the animal experiment under very high concentration.

During a normal use of this product, design of the cartridge proves it impossible to have powder carbon black released to the air.

Intake from the mouth and skin does not show carcinogenicity.

The Classification of The Chemical Product

This preparation is not claassified as dangerous according to Directive 1999/45/EC

### 4. First-Aid Measures

Inhalation

Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion

Make him drink strong salt water, let him vomit. Seek medical advice.

Notes to a physician

Not applicable

## 5. Fire-Fighting Measures

Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable.

Specific Hazards

Not applicable

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

### 6. Accidental Release Measures

Personal Precautions

Take off dirty clothes and wash them or have them dry-cleaned before wearing again.

**Environment Precautions** 

Do not exposure to sewers and watercourses.

Methods for Cleaning Up

If spilled, wipe up with paper or cloth.

## 7. Handling and Storage

Handling

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Keep away from heat, flame or spark. Do not dismantle cartridge.

Storage

**Technical Measures** 

Not applicable

**Storage Conditions** 

Keep out of reach of children.

For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight.

Packaging Material

Not applicable

Specific Use(s)

Image formation in printing machines.

## 8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

**Control Parameters** 

USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable

Personal Protection Respiratory Protections

None required in normal use.

**Hand Protection** 

Use vinyl or rubber gloves if necessary.

**Eve Protection** 

Put on goggles if necessary.

Skin and Body Protection

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling.

## 9. Physical and Chemical Properties

Appearance

Physical State : Liquid
Form : Liquid
Colour : Black
Odour : No odour

Information

pH: 8-10 Measuring Temp (degrees centigrade): 25

Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur

Boiling Point (degrees centigrade) : Not available
Melting Point (degrees centigrade) : Not applicable

Decomposition Temperature (degrees centigrade) : Not applicable Flash Point (degrees centigrade) : Not applicable

Explosion Properties (degrees centigrade) : This product is considered a nonexplosive material under

normal use.

Vapor Pressure (Pa) : Not available Measuring Temp (degrees centigrade) : -

Vapor Density(AIR=1) : Not available

Density (g/cm3) : Approx.1.1 Measuring Temp (degrees centigrade) : 23

Solubility

Water Solubility (g/L) : Soluble Octanol/Water Partition Coefficient

Not available Other Information

Flammability : Not flammable

Viscosity (Pa · s) : Approx.0.008 Measuring Temp (degrees centigrade) :25

Volatile (%) : 40-60

# 10. Stability and Reactivity

Stability

Stable

Hazardous Reaction

There is no significant hazardous reaction expected with intended use.

Conditions to Avoid

Not applicable in normal use.

Materials to Avoid

Not applicable in normal use.

**Hazardous Decomposition Products** 

Decomposition products will not occur.

### 11. Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50):

5000 or over [mg/kg] (Rat)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not available

Local effects

Acute Skin Irritation(PII):

1.0 or below (Rabbit) (Slight irritation)

Acute Eye Irritation:

Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)

Sensitization

Acute Allergenic Effects:

Non-skinsensitive (Mouse) (None skin sensitization.)

Specific Effects
Carcinogenicity:

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

This is due to the fact that rat alone showed lung tumor in the animal experiment under very high concentration. During a normal use of this product, design of the cartridge proves it impossible to have powder carbon black released to the air.

Intake from the mouth and skin does not show carcinogenicity.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

### 12. Ecological Information

Mobility : No data are available on the adverse effect one environment.

Persistence/Degradability : Not available Bioaccumulation : Not available

**Ecotoxicity** 

Acute Toxicity for Fish (LC50) : Not available
Acute Toxicity for Daphnia (EC50) : Not available
Algae Inhibition Test (IC50) : Not available

### 13. Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Precautions:

## 14. Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable
DOT 49 CFR : Not applicable
ADNR : Not applicable

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR : Not applicable

The UN Classification Number : Not applicable Class : Not applicable Specific Precautionary Transport Measures and conditions

Avoid direct sunlight in quality.; Do not keep this over 35 degrees centigrade.

## 15.Regulatory Information

#### Regulations

**EU** Information

Information on the label (Regulation (EC) No 1272/2008)

Symbols & : Not required

Indications

R-Phrase : Not required S-Phrase : Not required

Special Precautions under r egulation (EC) No 1272/2008 Annex II: Not required

Regulation (EC) No 1907/2006 annex XVII

This product complies with applicable rules and regulations under Regulation (EC) No 1907/2006 annex

XVII. 304/2003/EC

Not regulated

**US** Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA Title III

313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product: Not a controlled product

#### 16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health; 1, Flammability; 1, Reactivity; 0

HMIS Rating: The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

#### Literature References:

ANSI Z400.1-1993

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

**Biological Exposure Indices** 

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3

NTP (USA) : US Department of Health and Human Services National Toxicology Program Annual

Report on Carcinogens

DFG-MAK DFG List of MAK and BAT Value Symbol (EC) : Regulation (EC)No.1272/2008 91/155/ EEC : EU Directive 91/155/ EEC 1272/2008 : Regulation (EC) No 1272/2008

CLP (EC)No.1272/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directive Regulation (EC) No 1272/2008, and

amending Regulation (EC)No. 1907/2006

EC 304/2003 : Regulation (EC) No 304/2003 of the European Parliament and of the Council of 28

January 2003 concerning the export and import of dangerous chemicals

WHMIS Controlled product : Canada Workplace Hazardous Information System

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric

Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]

### Abbreviations:

OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial

Hygienists

REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization

and Restriction of Chemicals

SVHC Substances of Very High Concern ECHA The European Chemicals Agency

DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft
RoHS Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment

TWA Time Weighted Average

IARC nternational Agency for Research on Cancer

NTP National Toxicology Program

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

#### Disclaimer:

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.