Product Name : RICOH PRINT CARTRIDGE SP100LE (Black toner) MSDS Number : 407166

Date Prepared : 01/03/2012 Date Modified : 10/07/2017 Date : 03/10/2017



Safety Data Sheet (ISO form)

1. Product and Company Identification

Product Name	RICOH PRINT CARTRIDGE SP100LE (Black toner)			
General Use	:The Image Formation of Printing Machine or Copier			
MSDS Number	:407166			
Company Name	:Ricoh Company,Ltd.			
Department	:Safety Engineering Department, Quality Management Division			
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan			
Telephone Number	:055-920-1470, Japan			
Telefax Number	:055-920-1479, Japan			
E-mail	:msdsinfo@nts.ricoh.co.jp			
1				

2.Compo r egulation (EC) No 1272/2008 sition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin 1	Confidential	Confidential	40-60
Polyester Resin 2	Confidential	Confidential	20-40
Carbon Black	С	1333-86-4	1-10
Wax	Confidential	Confidential	1-5
Silica	Confidential	Confidential	1-5
Organic Salt	Confidential	Confidential	1-5

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information Chemical Name : Carbon Black

Chemical Name . Caroon Diack			
CAS Number	: 1333-86-4	EEC Number	: 215-609-9
OSHA Z-Tables (USA)	: 3.5mg/m3	ACGIH-TLV	: 3.5mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK	: III 3B	OELs-TWA (Australia)	: 3.0mg/m3
California Proposition 65 (USA)	: Listed		

3. Hazards Identification

The Most Important Hazards Adverse Human Health Effects There are no significant hazards expected with intended use. Environmental Effects There are no significant hazards expected with intended use. Physical and Chemical Hazards There are no significant hazards expected with intended use. Specific Hazards Dust explosion (like most finely grained organic powders) Main Symptoms

Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract.

Acute Oral Toxicity Low acute toxicity in animal experiment.

Acute Eve Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivities or dermatities.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

The Classification of The Chemical Product

This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.

4. First-Aid Measures

Inhalation

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Notes to a physician

Not applicable

5.Fire-Fighting Measures Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable.

Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6. Accidental Release Measures

Personal Precautions

Do not breathe in dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up

Fine powder may form explosive dust-air mixture.Confirm there is no source of fire and if there is a source, remove it.Sweep up spilled powder slowly and clean reminder with wet cloth.If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

7.Handling and Storage

Handling
Technical Measures/Precautions
Not applicable
Safe Handling Advice
Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.
Avoid breathing in dust.
Storage
Technical Measures
Not applicable
Storage Conditions
Keep out of reach of children.
Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees
centigrade for a long time. Avoid direct sunlight.
Packaging Material
Not applicable
Specific Use(s)
Image formation in printing machines or copiers.

8. Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control ParametersUSA OSHA PEL (TWA): 15mg/m3 (Total dust)ACGIH TLV (TWA): 10mg/m3 (Inhalable fraction)DFG MAK: 4.0mg/m3 (Total dust)Personal ProtectionRespiratory Protections

5.0mg/m3 (Respirable fraction) 3.0mg/m3 (Respirable fraction) 1.5mg/m3 (Respirable fraction)

None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

9. Physical and Chemical Properties

: Solid	
: Powder	
: Black	
: Slightly plastic odour	
	: Powder : Black

Information

pH : Not applicableSpecific Temperatures/Temperature Ranges at Which Changes in Physical State OccurBoiling Point (degrees centigrade): Not applicableMelting Point (degrees centigrade): (Softening point) Approx.110

Decomposition Temperature (degrees centigrade)	Not available
Flash Point (degrees centigrade)	Not applicable
Explosion Properties (degrees centigrade)	This product is considered a nonexplosive material under
	normal use.

Vapor Pressure (Pa): Not applicableVapor Density(AIR=1): Not applicableDensity (g/cm3): Approx.1.2Measuring Temp (degrees centigrade) : 25

Solubility Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble Octanol/Water Partition Coefficient Not available Other Information

Flammability	: Not flammable
Viscosity (Pa • s)	: Not applicable
Volatile (%)	: 0.2 or below

10. Stability and Reactivity

Stability Stable Hazardous Reaction Dust explosion, like most finely grained organic powders.

Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

11. Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Not available (Ingredients are not classified as dangerous according to Regulation (EC) No 1272/2008.) Sensitization Acute Allergenic Effects : 0 % (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity: Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat But oral/skin test does not show carcinogenicity. The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12. Ecological Information

Mobility	: No data are av	vailable on any adverse effects on the environment.
Persistence/Degradability	: Not available	
Bioaccumulation	: Not available	
Ecotoxicity		
Acute Toxicity for F	Fish (LC50)	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/96hr
Acute Toxicity for I	Daphnia (EC50)	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/48hr

13.Disposal Consideration

Algae Inhibition Test (IC50)

General information:

Dispose of waste and residues in accordance with local authority requirements. Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions: Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/72hr

14. Transport Information

International Regula	tions
Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable

Air Transport ICAO-TI/IATA-DGR : Not applicable The UN Classification Number : Not applicable Class : Not applicable Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality.

15.Regulatory Information

```
Regulations
EU Information
       Information on the label (Regulation (EC) No 1272/2008)
              Symbols &
                                : Not required
              Indications
              R-Phrase
                                 : Not required
              S-Phrase
                                : Not required
              Special Precautions under r egulation (EC) No 1272/2008 Annex II : Not required
       Regulation (EC) No 1907/2006 annex XVII
              This product complies with applicable rules and regulations under Regulation (EC) No 1907/2006 annex
              XVII.
       304/2003/EC
              Not regulated
       US Information
       Information on the label : Not required
       TSCA (Toxic Substances Control Act) :
              This toner complies with all applicable rules and regulations under TSCA.
       SARA Title III
              313 Reportable Ingredients : Not regulated
       California Proposition 65: Not regulated
       Canada Information
       WHMIS Controlled product : Not a controlled product
```

16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

HMIS Rating : The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and
	Biological Exposure Indices
OSHA Z-Tables	: US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3
NTP (USA)	: US Department of Health and Human Services National Toxicology Program Annual
	Report on Carcinogens

3/10/2017	,	Ricoh Company,Ltd. 407166 RICOH PRINT CARTRIDGE SP100LE (Black toner)		
	DFG-MAK	DFG List of MAK and BAT Value		
	Symbol (EC)	: Regulation (EC)No.1272/2008		
	91/155/ EEC	: EU Directive 91/155/ EEC		
	1272/2008	: Regulation (EC) No 1272/2008		
	CLP (EC)No.12	2/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the Council of 16		
		December 2008 on classification, labelling and packaging of substances and		
		mixtures, amending and repealing Directive Regulation (EC) No 1272/2008, and		
		amending Regulation (EC)No. 1907/2006		
	EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the Council of 28		
		January 2003 concerning the export and import of dangerous chemicals		
		led product : Canada Workplace Hazardous Information System		
	OELs-TWA (Au			
		Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]		
	Abbreviations			
	OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act		
	ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial		
		Hygienists		
	REACH	(EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization		
	~~~~~~	and Restriction of Chemicals		
	SVHC	Substances of Very High Concern		
	ECHA	The European Chemicals Agency		
	DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft		
	RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment		
	TWA	Time Weighted Average		
	IARC	nternational Agency for Research on Cancer		
	NTP	National Toxicology Program		
	WHMIS	Workplace Hazardous Information System		
	NOHSC	National Occupational Health and Safety Commission Act 1985		
		- · ·		

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.